Goliad County Groundwater Conservation District

P. O. Box 562, 118. S. Market St. Goliad, TX 77963-0562 361-645-1716 - Telephone 361-645-1772 - Fax

January 23, 2012

Mr. Ray Leissner 6WQ-SG U. S. Environmental Protection Agency Region 6 Groundwater/UIC Section 1445 Ross Avenue Suite 1200 Dallas, TX 78202

Dear Mr. Leissner,

In response to our telephone conversation of January 9, 2012, the Goliad County Groundwater Conservation District (GCGCD) has compiled the following data:

> Landowner Names and GPS locations of wells within or immediately outside the 1 kilometer around the proposed aquifer exemption for UEC Permit Application #UR03075.

Well logs for these wells if available

Well Depths

Casing information

Year Drilled

Baseline water quality testing information on wells that GCGCD has tested since 2006 that were tested to establish baseline and monitor change in water quality Information about potentially high volume wells in the area of interest

This information has been compiled from GCGCD files, landowner contacts, and the following websites:

http://texaswellreports.twdb.state.tx.us/

http://gis3.tceq.state.tx.us/waterwellpublic/index.jsp

The Interim Order issued March 3, 2009 by TCEQ to SOAH included issue A as follow;"Whether the use and installation of the injection wells are in the public interest under Texas Water Code #27.051(a). Public interest in regard to this issue includes whether UCE's mining operation or restoration will adversely impact the public interest by unreasonably reducing the amount of groundwater available for permitting by the Goliad County Groundwater Conservation District".

During the contested case hearing Issue A was deliberated at length. GCGCD provided expert testimony that an irrigation well drilled in a down-dip location could impact the ability to control the production with a lixiviant in the mining area. The models of the location is the models of the location in the mining area. lixiviant in the mining area. The modeler for UEC commented that drilling this irrigation well during production would not be a good idea.

In the event that a flow model is developed as part of the aquifer exemption request evaluation, the scenario described above could again impact the conclusions. In the event that modeling is done, GCGCD would be very interested in having an evaluation of how future permitting by GCGCD could

may have no

Goliad County Groundwater Conservation District

P. O. Box 562, 118. S. Market St. Goliad, TX 77963-0562 361-645-1716 – Telephone 361-645-1772 - Fax

effect migration rates in determining the question of whether the aquifer exemption area serves as a source of drinking water.

If you need any further information, please feel free to contact us. Sincerely,

Art Dohmann, President

Goliad County Groundwater Conservation District